

1.1 – Required Practice


#1. $\lim_{x \rightarrow 4} \frac{x-4}{x^2-5x+4} =$

$\lim_{x \rightarrow 4^-} \frac{x-4}{x^2-5x+4} =$

$\lim_{x \rightarrow 4^+} \frac{x-4}{x^2-5x+4} =$

x	3.9	3.99	3.999	4	4.001	4.01	4.1
f(x)				?			

#2.



$\lim_{x \rightarrow 2^-} f(x) =$

$\lim_{x \rightarrow 2^+} f(x) =$

$\lim_{x \rightarrow 2} f(x) =$

$f(2) =$

$\lim_{x \rightarrow 1^+} f(x) =$

$\lim_{x \rightarrow 1} f(x) =$

$\lim_{x \rightarrow 1^-} f(x) =$

#3. $\lim_{x \rightarrow 3} \frac{x^2-25}{x-5} =$

#4. $\lim_{x \rightarrow 5} \frac{x^2-25}{x-5} =$

Sketch the graph of this function.

What y is approach near x = 5?

#5. $\lim_{x \rightarrow 0} \frac{2x}{x^2+4x} =$

#6. $f(x) = \begin{cases} 3x-1 & x < 1 \\ 2 & x = 1 \\ 3x & x > 1 \end{cases}$

$\lim_{x \rightarrow 1} f(x) =$

#7. $\lim_{x \rightarrow 1} \frac{x-1}{x^3-1} =$

Complete the table. Use the result to estimate the limit. Use your calculator to graph the function to confirm your results.

#9. $\lim_{x \rightarrow 0} \frac{\sin(x)}{x}$

x	-0.1	-0.01	-0.001	0	0.001	0.01	0.1
f(x)				?			

Evaluate the limit using any method. Graph in a calculator to verify your result.

#10. $\lim_{x \rightarrow 1} \frac{x-2}{x^2+x-6}$



#11. $\lim_{x \rightarrow 1} \frac{x^4-1}{x^6-1}$

#12. $\lim_{x \rightarrow 0} \frac{\sin(2x)}{x}$

Use the graph to find the limit (if it exists). If the limit does not exist, explain why.



#13. $\lim_{x \rightarrow 3} (4-x)$

#14. $\lim_{x \rightarrow 2} f(x)$ where $f(x) = \begin{cases} 4-x & x \neq 2 \\ 0 & x = 2 \end{cases}$



#15. $\lim_{x \rightarrow 2} \frac{|x-2|}{x+3}$



#16. $\lim_{x \rightarrow 0} \cos\left(\frac{1}{x}\right)$



Use the graph of the function f to decide whether the value of the quantity exists. If it does, find it. If not, explain why.

#17.


- a. $f(1)$
- b. $\lim_{x \rightarrow 1} f(x)$
- c. $f(0)$
- d. $\lim_{x \rightarrow 4} f(x)$



#18. The graph of a function f is shown above. For which of the following values of c does

$$\lim_{x \rightarrow c} f(x) = 1?$$

- (A) 0 only
- (B) 0 and 3 only
- (C) -2 and 0 only
- (D) -2 and 3 only
- (E) -2, 0, and 3




#19. The graph of the function f is shown in the figure above. The value of $\lim_{x \rightarrow 1} \sin(f(x))$ is

- (A) 0.909
- (B) 0.841
- (C) 0.141
- (D) -0.416
- (E) nonexistent

1.2 – Required Practice

#1. Evaluate the limit

$$\lim_{x \rightarrow 2} \frac{2f(x) + 1}{4 - g(x)}$$



#2.
$$\lim_{x \rightarrow 9} \frac{x^2 - 81}{\sqrt{x} - 3}$$

#3.
$$\lim_{x \rightarrow 0} \frac{\cos(x) \tan(x)}{x} =$$

#4. Use the Squeeze Theorem to show that $\lim_{x \rightarrow 0} x^2 \cos 20\pi x = 0$.

Illustrate by graphing the functions

$$f(x) = -x^2, \quad g(x) = x^2 \cos 20\pi x, \quad \text{and} \quad h(x) = x^2$$

on the same screen.

#5. Find the limit, if it exists. If the limit does not exist, explain why.

$$\lim_{x \rightarrow 2} \frac{|x - 2|}{x - 2}$$

Find the limit. Use a graphing calculator to verify.

#6. $\lim_{x \rightarrow -3} x^2 + 3x$

#7. $\lim_{x \rightarrow 0} \sec(2x)$

#8. $\lim_{x \rightarrow 1} \ln(3x) + e^x$

#9. $\lim_{x \rightarrow 0} \frac{x}{x^2 - x}$

#10. $\lim_{x \rightarrow 4} \frac{x^2 - 5x + 4}{x^2 - 16}$

#11. $\lim_{x \rightarrow 4} \frac{\sqrt{x+5} - 3}{x - 4}$

#12. $\lim_{x \rightarrow 0} \frac{\sin(x)}{5x}$

#13. $\lim_{x \rightarrow 0} \frac{(\sin(x))(1 - \cos(x))}{x^2}$

#14. $\lim_{x \rightarrow 0} \frac{\sin^2(x)}{x}$

#15. $\lim_{x \rightarrow 0} \frac{1 - e^{-x}}{e^x - 1}$

Find the limit analytically, then verify by calculator graph.

#16. $\lim_{x \rightarrow 0} \frac{\sin(2x)}{\sin(3x)}$

Find $\lim_{\Delta x \rightarrow 0} \frac{f(x+\Delta x) - f(x)}{\Delta x}$. Compare the result to the original function...notice anything?

#17. $f(x) = 3x - 2$

#18. Let g and h be the functions defined by $g(x) = \sin\left(\frac{\pi}{2}x\right) + 4$ and $h(x) = -\frac{1}{4}x^3 + \frac{3}{4}x + \frac{9}{2}$. If f is a function that satisfies $g(x) \leq f(x) \leq h(x)$ for $-1 < x < 2$, what is $\lim_{x \rightarrow 1} f(x)$?

(A) 4

(B) $\frac{9}{2}$

(C) 5

(D) The limit cannot be determined from the information given.

1.3 – Required Practice

#1. Is $g(x)$ continuous at $x=2$? Is $g(x)$ continuous at $x=3$?

$$g(x) = \begin{cases} x^2 & x < 2 \\ -3 & x = 2 \\ 3x & x > 2 \end{cases}$$

#2. Find the constant c that makes g continuous on $(-\infty, \infty)$

$$g(x) = \begin{cases} x^2 - c^2 & \text{if } x < 4 \\ cx + 20 & \text{if } x \geq 4 \end{cases}$$

#3. Use the Intermediate Value Theorem to show that the following polynomial has a zero in the interval $[0,1]$.

$$f(x) = x^3 + 2x - 1$$

#4. The height of an object changes with time as described by the function

$$h(t) = 2t - 3t^2 + 10$$

Can you guarantee that there is a time value, t in the interval $[0,2]$ at which the height of the object is 4? Explain.

#5. Find the limit and any asymptotes: $\lim_{x \rightarrow 5} \frac{x+2}{x-5}$

#6. Let f be a function defined by $f(x) = \begin{cases} 1 - 2 \sin x & \text{for } x \leq 0 \\ e^{-4x} & \text{for } x > 0. \end{cases}$

Show that f is continuous at $x = 0$.

#7. Let f be the function defined by

$$f(x) = \begin{cases} \sqrt{x+1} & \text{for } 0 \leq x \leq 3 \\ 5-x & \text{for } 3 < x \leq 5. \end{cases}$$

Is f continuous at $x = 3$? Explain why or why not.

#8.
$$f(x) = \begin{cases} \frac{2x^2+5x-3}{x^2+4x+3} & \text{for } x < -3 \\ kx + \frac{1}{2} & \text{for } -3 \leq x \leq 0 \\ \frac{2^x}{3^{x-1}} & \text{for } x > 0 \end{cases}$$

Let f be the function defined above, where k is a constant.

(a) For what value of k , if any, is f continuous at $x = -3$? Justify your answer.

(b) What type of discontinuity does f have at $x = 0$? Give a reason for your answer.

#9.

t (sec)	0	15	25	30	35	50	60
$v(t)$ (ft/sec)	-20	-30	-20	-14	-10	0	10
$a(t)$ (ft/sec ²)	1	5	2	1	2	4	2

A car travels on a straight track. During the time interval $0 \leq t \leq 60$ seconds, the car's velocity v , measured in feet per second, and acceleration a , measured in feet per second per second, are continuous functions. The table above shows selected values of these functions.

For $0 < t < 60$, must there be a time t when $v(t) = -5$? Justify your answer.

1.4 – Required Practice

$$\#1. \lim_{r \rightarrow \infty} \frac{r^4 - r^2 + 1}{r^5 + r^3 - r}$$


$$\#2. \lim_{x \rightarrow -\infty} \frac{3x^3 - x}{x^2 + 2x + 1}$$

$$\#3. \lim_{t \rightarrow -\infty} \frac{6t^2 + 5t}{(1-t)(2t-3)}$$

$$\#4. \lim_{x \rightarrow \infty} e^{-x^2}$$

#5. Find the horizontal and vertical asymptotes of the curve.
Check by graphing.

$$y = \frac{x^2 + 4}{x^2 - 1}$$



The function f is given by $f(x) = \frac{ax^2+12}{x^2+b}$.

The figure above shows a portion of the graph of f .

What are the values of the constants a and b ?

#7. The continuous function f is positive and has domain $x > 0$. If the asymptotes of the graph of f are $x = 0$ and $y = 2$, which of the following statements must be true?

- (A) $\lim_{x \rightarrow 0^+} f(x) = \infty$ and $\lim_{x \rightarrow 2} f(x) = \infty$
- (B) $\lim_{x \rightarrow 0^+} f(x) = 2$ and $\lim_{x \rightarrow \infty} f(x) = 0$
- (C) $\lim_{x \rightarrow 0^+} f(x) = \infty$ and $\lim_{x \rightarrow \infty} f(x) = 2$
- (D) $\lim_{x \rightarrow 2} f(x) = \infty$ and $\lim_{x \rightarrow \infty} f(x) = 2$

#8. The graph of which of the following functions has exactly one horizontal asymptote and no vertical asymptotes?

- (A) $y = \frac{1}{x^2+1}$
- (B) $y = \frac{1}{x^3+1}$
- (C) $y = \frac{1}{e^x-1}$
- (D) $y = \frac{1}{e^x+1}$

#9. For $x \geq 0$, the horizontal line $y = 2$ is an asymptote for the graph of the function f . Which of the following statements must be true?

- (A) $f(0) = 2$
- (B) $f(x) \neq 2$ for all $x \geq 0$
- (C) $f(2)$ is undefined.
- (D) $\lim_{x \rightarrow 2} f(x) = \infty$
- (E) $\lim_{x \rightarrow \infty} f(x) = 2$